

SAFETY DATA SHEET GREENTEC 4-0-10+9FE

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier	
Product name	GREENTEC 4-0-10+9FE
Product number	EXP001/25
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
Identified uses	Fertiliser for use on managed amenity turf
1.3. Details of the supplier of t	he safety data sheet
Supplier	Headland Amenity Ltd 1 Burr Elm Court Main Street Caldecote Cambridge Cambridgeshire CB23 7NU Tel. +44 (0)1223 491090 sds.enquiries@headlandamenity.com
Contact person	Wendy Johnson
1.4. Emergency telephone number	
Emergency telephone	+44 (0)1223 491090 (9.00 - 5.00 GMT Mon-Fri)
SECTION 2: Hazards identific	ation
2.1. Classification of the subst	ance or mixture
Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified
2.2. Label elements	
Pictogram	
Signal word	Warning
Signal word Hazard statements	Warning H319 Causes serious eye irritation.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/inf	ormation on ingredients	
3.2. Mixtures		
SINGLE SUPERPHOSPHA	TE	10-30%
CAS number: 8011-76-5	EC number: 232-379-5	REACH registration number: 01- 2119488967-11-XXXX
Classification Eye Irrit. 2 - H319	Classificat Xi; R41	tion (67/548/EEC or 1999/45/EC)
IRON (II) SULFATE (1:1) HE	EPTAHYDRATE	5-10%
CAS number: 7782-63-0	EC number: 231-753-5	REACH registration number: 01- 2119513203-57-XXXX
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classificat Xn; R22.)	tion (67/548/EEC or 1999/45/EC) Xi; R36/38
SULPHURIC ACID CAS number: 7664-93-9	EC number: 231-639-5	<1%
Classification Skin Corr. 1A - H314 Eye Dam. 1 - H318	Classificat C; R35	tion (67/548/EEC or 1999/45/EC)
MANGANESE SULPHATE CAS number: 7785-87-7	EC number: 232-089-9	<1%
Classification STOT RE 2 - H373 Aquatic Chronic 2 - H411	Classificat	tion (67/548/EEC or 1999/45/EC) 0/21/22. N; R51/53
The Full Text for all R-Phrase	es and Hazard Statements are Displayed in S	Section 16.
Composition comments	The data shown are in accordance with th	e latest EC Directives.
SECTION 4: First aid measur	es	
4.1. Description of first aid mo	easures	
Inhalation	Move affected person to fresh air at once. attention if symptoms are severe or persis	Rinse nose and mouth with water. Get medical st.
Ingestion	Never give anything by mouth to an uncor mouth thoroughly with water. Get medical	nscious person. Do not induce vomiting. Rinse attention if any symptoms develop.
Skin contact	-	ontamination. Take off immediately all contaminated kin thoroughly with soap and water. Get medical

Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest.
Ingestion	There may be soreness and redness of the mouth and throat.
Skin contact	Skin contact may cause redness and irritation.
Eye contact	Irritation and redness, followed by blurred vision. Profuse watering of the eyes. May cause permanent damage.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	
Hazardous combustion products	Toxic gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	No specific firefighting precautions known. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precaution	S
Environmental precautions	Avoid the spillage or runoff entering drains, sewers or watercourses.
6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	Stop leak if safe to do so. Collect spillage. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.4. Reference to other section	<u>ns</u>
Reference to other sections	Collect and dispose of spillage as indicated in Section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe hand	ling
Usage precautions	Open container with care to avoid generating dust. Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wash hands thoroughly after handling.

GREENTEC 4-0-10+9FE

Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Remove contaminated clothing and protective equipment before entering eating areas.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Controls/personal protection	
8.1. Control parameters	
Occupational exposure limits	
SULPHURIC ACID	
Long-term exposure limit (8-hour TWA): WEL 0.05 mg/m ³ mist (thoracic fraction)	
MANGANESE SULPHATE	
Long-term exposure limit (8-hour TWA): WEL 0.5 mg/m³ respirable dust WEL = Workplace Exposure Limit	
SINGLE SUPERPHOSPHATE (CAS: 8011-76-5)	
DNEL	Workers - Inhalation; Long term systemic effects: 3.1 mg/m³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation: Long term systemic effects: 0.9 mg/m³

	General population - Inhalation; Long term systemic effects: 0.9 mg/m ³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day
PNEC	- Fresh water; 1.7 mg/l
	- Marine water; 0.17 mg/m ³
	- Intermittent release; 17 mg/l
	- STP; 10 mg/l
	MANGANESE SULPHATE (CAS: 7785-87-7)
DNEL	Workers - Dermal; systemic effects: 0.00414 mg/kg/day
	Workers - Inhalation; systemic effects: 0.2 mg/m ³
	Consumer - Dermal; systemic effects: 0.0021 mg/kg/day
	Consumer - Inhalation; systemic effects: 0.043 mg/m ³
PNEC	- Fresh water; 0.0128 mg/l
	- Marine water; 0.0004 mg/l
	- Sediment (Freshwater); 0.0114 mg/kg
	- Sediment (Marinewater); 0.0014 mg/kg
	- Soil; 25.1 mg/kg
	- STP; 56 mg/l

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection	The following protection should be worn: Chemical splash goggles or face shield. Provide eyewash station.
Hand protection	Wear protective gloves.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. Do not eat, drink or smoke when using this product.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties	
Appearance	Granules.
Colour	Brown.
Odour	Slight.
Odour threshold	No information available.
рН	No information available.
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	Mixture not classed as flammable
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	No information available.
Bulk density	1.096 kg/l
Solubility(ies)	Soluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information	No information required.
SECTION 10: Stability and rea	nctivity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product. Stable under recommended transport or storage conditions.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat.
10.5. Incompatible materials	
Materials to avoid	Strong acids. Strong alkalis. Oxidising agents.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	In combustion emits toxic fumes.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	No information available.
Acute toxicity - oral ATE oral (mg/kg)	5,447.39
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
Ingestion	There may be soreness and redness of the mouth and throat.
Skin contact	May cause skin irritation.
Eye contact	There may be irritation and redness. Profuse watering of the eyes.
SECTION 12: Ecological Information	
Ecotoxicity	Not regarded as dangerous for the environment.
12.1. Toxicity	
12.2. Persistence and degrada	
	The product is biodegradable.
12.3. Bioaccumulative potentia	_
Bioaccumulative potential	Bioaccumulation is unlikely.
Partition coefficient	No information available.
12.4. Mobility in soil	

Mobility	No information available.
12.5. Results of PBT and vPvE	B assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not applicable.
SECTION 13: Disposal consid-	erations
13.1. Waste treatment method	<u>S</u>
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping name	e
Not applicable.	
14.3. Transport hazard class(e	<u>(s)</u>
No transport warning sign requ	ired.
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous su No.	bstance/marine pollutant
14.6. Special precautions for u	ser
Not applicable.	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
15.2. Chemical safety assessment	
No chemical safety assessment has been carried out.	
SECTION 16: Other information	n

SECTION 16: Other information

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	18/05/2016
Revision	5
Supersedes date	04/09/2015
SDS number	20261
Risk phrases in full	R22 Harmful if swallowed. R35 Causes severe burns. R36/38 Irritating to eyes and skin. R41 Risk of serious damage to eyes.
Hazard statements in full	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.