

SAFETY DATA SHEET GREENTEC 4-0-14+9FE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name GREENTEC 4-0-14+9FE

Product number EXP001/25

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Fertiliser for use on managed amenity turf

1.3. Details of the supplier of the safety data sheet

Supplier Headland Amenity Ltd.

1-3 Freeman Court Jarman Way Royston Hertfordshire SG8 5HW

+44 (0)1763 255550 sds@headlandamenity.com

Contact person Wendy Johnson

1.4. Emergency telephone number

Emergency telephone +44 (0)1763 255550 (09.00 - 17.00 GMT Monday - Friday)

National emergency telephone 111

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

GREENTEC 4-0-14+9FE

Precautionary statements P280 Wear protective gloves, protective clothing and eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

FERROUS SULPHATE MONOHYDRATE

10-30%

CAS number: 17375-41-6 EC number: 231-753-5 REACH registration number: 01-

2119513203-57-XXXX

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

SINGLE SUPERPHOSPHATE

10-30%

CAS number: 8011-76-5 EC number: 232-379-5 REACH registration number: 01-

2119488967-11-XXXX

Classification

Eye Irrit. 2 - H319

SULPHURIC ACID <1%

CAS number: 7664-93-9 EC number: 231-639-5

Classification

Skin Corr. 1A - H314 Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if symptoms are severe or persist.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any symptoms develop.

Skin contact Remove affected person from source of contamination. Take off immediately all contaminated

clothing and wash it before reuse. Wash skin thoroughly with soap and water. Get medical

attention if any discomfort continues.

GREENTEC 4-0-14+9FE

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Continue to rinse for at least 15 minutes. Get medical attention if

irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation There may be irritation of the throat with a feeling of tightness in the chest.

Ingestion There may be soreness and redness of the mouth and throat.

Skin contact Skin contact may cause redness and irritation.

Eye contact Irritation and redness, followed by blurred vision. Profuse watering of the eyes. May cause

permanent damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

No specific firefighting precautions known. Cool containers exposed to heat with water spray

and remove them from the fire area if it can be done without risk.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Collect spillage. Flush contaminated area with plenty of water.

Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections Collect and dispose of spillage as indicated in Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Open container with care to avoid generating dust. Provide adequate ventilation. Avoid

spilling. Avoid contact with skin and eyes. Wash hands thoroughly after handling.

GREENTEC 4-0-14+9FE

Advice on general Do not eat, drink or smoke when using this product. Remove contaminated clothing and

occupational hygiene protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

FERROUS SULPHATE MONOHYDRATE

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ Short-term exposure limit (15-minute): WEL 2 mg/m³

SULPHURIC ACID

Long-term exposure limit (8-hour TWA): WEL 0.05 mg/m3 mist

WEL = Workplace Exposure Limit.

FERROUS SULPHATE MONOHYDRATE (CAS: 17375-41-6)

DNEL Industry - Dermal; Long term systemic effects: 0.5 mg/kg/day

Industry - Dermal; Short term systemic effects: 0.57 mg/kg/day General population - Inhalation; Long term systemic effects: 0.5 mg/m³

Industry - Inhalation; Long term systemic effects: 2.01 mg/kg/day Industry - Inhalation; Short term systemic effects: 2.01 mg/m³

General population - Inhalation; Short term systemic effects: 0.5 mg/m³ General population - Dermal; Long term systemic effects: 0.29 mg/kg/day General population - Dermal; Short term systemic effects: 0.29 mg/kg/day General population - Oral; Long term systemic effects: 0.29 mg/kg/day

General population - Oral; Short term systemic effects: 0.29 mg/kg/day

PNEC - Sediment (Freshwater); 49.5 mg/kg

- Sediment (Marinewater); 49.5 mg/kg

- Soil; 55.5 mg/kg

SINGLE SUPERPHOSPHATE (CAS: 8011-76-5)

DNEL Workers - Inhalation; Long term systemic effects: 3.1 mg/m³

Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day

General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day

PNEC - Fresh water; 1.7 mg/l

- marine water; 0.17 mg/m³

- Intermittent release; 17 mg/l

- STP; 10 mg/l

8.2. Exposure controls

GREENTEC 4-0-14+9FE

Protective equipment





Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield. Provide

eyewash station.

Hand protection

Wear protective gloves.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking

and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. Do

not eat, drink or smoke when using this product.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Granules.

Colour Brown.

Odour Slight.

Odour threshold No information available.

pH (diluted solution): 3.6 (5%)

Melting point No information available.

Initial boiling point and range No information available.

Flash point Mixture not classed as flammable

Evaporation rate No information available.

Evaporation factor No information available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Vapour pressure

Vapour density

No information available.

No information available.

No information available.

Bulk density 1.096 kg/l

Solubility(ies) Soluble in water.

Partition coefficient No information available.

Auto-ignition temperature No information available.

GREENTEC 4-0-14+9FE

Decomposition Temperature No information available.

Viscosity No information available.

Explosive properties Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product. Stable under

recommended transport or storage conditions.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid heat.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

In combustion emits toxic fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No information available.

Acute toxicity - oral

ATE oral (mg/kg) 5,190.8

Serious eye damage/irritation

Serious eye damage/irritation In-vitro testing conducted on products with SSP content <62% in 2015. Result: reduced the

classification to Eye Irritant 2 - H319. Test Guideline OECD 438. This result is less severe than the harmonised classification for Super Phosphates of Eye Damage 1 - H318.

Inhalation There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Ingestion There may be soreness and redness of the mouth and throat.

Skin contact May cause skin irritation.

Eye contact There may be irritation and redness. Profuse watering of the eyes.

Toxicological information on ingredients.

GREENTEC 4-0-14+9FE

FERROUS SULPHATE MONOHYDRATE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 1,480.0

mg/kg)

Species Rat

ATE oral (mg/kg) 1,480.0

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Ecological information on ingredients.

FERROUS SULPHATE MONOHYDRATE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 82.3 mg/l, Oncorhynchus mykiss (Rainbow trout)

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Bioaccumulation is unlikely.

Partition coefficient No information available.

12.4. Mobility in soil

Mobility No information available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

GREENTEC 4-0-14+9FE

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments Product UFI added (not relevant to GB). Section 3 updated. Supplier company address

updated. Emergency contact details updated. NOTE: Lines within the margin indicate

significant changes from the previous revision.

Revision date 15/04/2021

Revision 2

Supersedes date 04/10/2017

SDS number 20481

Hazard statements in full H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.