



SAFETY DATA SHEET

GREENTEC 6-5-18 + MGO + 4FE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name GREENTEC 6-5-18 + MGO + 4FE
Product number CNF004/25

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Fertiliser for use on managed amenity turf

1.3. Details of the supplier of the safety data sheet

Supplier Headland Amenity Ltd., a subsidiary of Origin Enterprises plc.
4-6 Riverwalk
Citywest Business Campus
Dublin 24
D24 DCW0
Ireland
Tel. +44 (0)1763 255550
sds@headlandamenity.com

Contact person Wendy Johnson

1.4. Emergency telephone number

Emergency telephone +44 (0)1763 255550 (09.00 - 17.00 GMT Monday - Friday)

National emergency telephone number 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements EUH208 Contains NICKEL SULPHATE. May produce an allergic reaction.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

GREENTEC 6-5-18 + MGO + 4FE

Precautionary statements

P280 Wear protective gloves, protective clothing and eye protection.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P332+P313 If skin irritation occurs: Get medical advice/ attention.
 P337+P313 If eye irritation persists: Get medical advice/ attention.
 P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SINGLE SUPERPHOSPHATE	10-30%
CAS number: 8011-76-5	EC number: 232-379-5
	REACH registration number: 01-2119488967-11-XXXX
Classification	
Eye Irrit. 2 - H319	
IRON II SULPHATE	10-30%
CAS number: 7720-78-7	EC number: 231-753-5
	REACH registration number: 01-2119513203-57-XXXX
Classification	
Acute Tox. 4 - H302	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
SULPHURIC ACID	<1%
CAS number: 7664-93-9	EC number: 231-639-5
Classification	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	

GREENTEC 6-5-18 + MGO + 4FE

NICKEL SULPHATE	<1%
CAS number: 7786-81-4	EC number: 232-104-9
M factor (Acute) = 1	M factor (Chronic) = 1
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 1A - H350i Repr. 1B - H360D STOT RE 1 - H372 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if symptoms are severe or persist.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any symptoms develop.
Skin contact	Remove affected person from source of contamination. Take off immediately all contaminated clothing and wash it before reuse. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	There may be irritation of the throat with a feeling of tightness in the chest.
Ingestion	There may be soreness and redness of the mouth and throat.
Skin contact	Skin contact may cause redness and irritation.
Eye contact	Irritation and redness, followed by blurred vision. Profuse watering of the eyes. May cause permanent damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
-----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	None known.

5.2. Special hazards arising from the substance or mixture

GREENTEC 6-5-18 + MGO + 4FE

Hazardous combustion products Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting No specific firefighting precautions known. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Collect spillage. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections Collect and dispose of spillage as indicated in Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Open container with care to avoid generating dust. Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wash hands thoroughly after handling.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

SULPHURIC ACID

Long-term exposure limit (8-hour TWA): WEL 0.05 mg/m³ mist

WEL = Workplace Exposure Limit.

SINGLE SUPERPHOSPHATE (CAS: 8011-76-5)

DNEL

Workers - Inhalation; Long term systemic effects: 3.1 mg/m³

Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day

General population - Inhalation; Long term systemic effects: 0.9 mg/m³

General population - Oral; Long term systemic effects: 2.1 mg/kg/day

General population - Dermal; Long term systemic effects: 10.4 mg/kg/day

GREENTEC 6-5-18 + MGO + 4FE

PNEC

- Fresh water; 1.7 mg/l
- marine water; 0.17 mg/m³
- Intermittent release; 17 mg/l
- STP; 10 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield. Provide eyewash station.

Hand protection

Wear protective gloves.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. Do not eat, drink or smoke when using this product.

Respiratory protection

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Granules.
Colour	Brown.
Odour	Slight. Ammonia.
Odour threshold	No information available.
pH	pH (diluted solution): 2.9 (5%)
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	Mixture not classed as flammable
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	No information available.

GREENTEC 6-5-18 + MGO + 4FE

Bulk density	~ 900 - 1100 kg/m ³
Solubility(ies)	Soluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	Not considered to be explosive.
Oxidising properties	Not an oxidising solid of UN Division 5.1 as determined by testing to GLP.

9.2. Other information

Other information	No information required.
--------------------------	--------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product. Stable under recommended transport or storage conditions.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
---	--

10.4. Conditions to avoid

Conditions to avoid	Avoid heat.
----------------------------	-------------

10.5. Incompatible materials

Materials to avoid	Strong acids. Strong alkalis. Oxidising agents.
---------------------------	---

10.6. Hazardous decomposition products

Hazardous decomposition products	In combustion emits toxic fumes.
---	----------------------------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	No information available.
------------------------------	---------------------------

Acute toxicity - oral

ATE oral (mg/kg)	3,181.98
-------------------------	----------

Serious eye damage/irritation

Serious eye damage/irritation	In-vitro testing conducted on products with SSP content <62% in 2015. Result: reduced the classification to Eye Irritant 2 - H319. Test Guideline OECD 438. This result is less severe than the harmonised classification for Super Phosphates of Eye Damage 1 - H318.
--------------------------------------	--

Inhalation	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
-------------------	--

Ingestion	There may be soreness and redness of the mouth and throat.
------------------	--

GREENTEC 6-5-18 + MGO + 4FE

Skin contact May cause skin irritation.

Eye contact There may be irritation and redness. Profuse watering of the eyes.

Toxicological information on ingredients.

IRON II SULPHATE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 500.0

Species Rat

ATE oral (mg/kg) 500.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ dust/mist mg/l) 100.0

Species Rat

ATE inhalation (dusts/mists mg/l) 100.0

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Ecological information on ingredients.

NICKEL SULPHATE

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C50 ≤ 1

M factor (Acute) 1

Chronic aquatic toxicity

M factor (Chronic) 1

12.2. Persistence and degradability

Persistence and degradability The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Bioaccumulation is unlikely.

Partition coefficient No information available.

12.4. Mobility in soil

Mobility No information available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not applicable.

GREENTEC 6-5-18 + MGO + 4FE

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments Revised classification. Product UFI added (not relevant to GB). Supplier company address updated. Emergency contact details updated. NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 20/04/2021

Revision 6

Supersedes date 18/05/2016

SDS number 20376

GREENTEC 6-5-18 + MGO + 4FE

Hazard statements in full

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341 Suspected of causing genetic defects.
H350i May cause cancer by inhalation.
H360D May damage the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
EUH208 Contains NICKEL SULPHATE. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.