



SAFETY DATA SHEET HEADLAND SULPHUR

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name HEADLAND SULPHUR
Product number SOT006/10

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Aqueous sulphur solution for use on amenity turf.

1.3. Details of the supplier of the safety data sheet

Supplier Headland Amenity Ltd
1 Burr Elm Court
Main Street
Caldecote
Cambridge
Cambridgeshire
CB23 7NU
Tel. +44 (0)1223 491090
sds.enquiries@headlandamenity.com

Contact person Wendy Johnson

1.4. Emergency telephone number

Emergency telephone +44 (0)1223 491090 (9.00 - 5.00 GMT Mon-Fri)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Warning

Hazard statements H315 Causes skin irritation.
H319 Causes serious eye irritation.

HEADLAND SULPHUR

| | |
|---------------------------------|--|
| Precautionary statements | <p>P264 Wash hands thoroughly after handling.</p> <p>P280 Wear protective gloves, eye and face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P332+P313 If skin irritation occurs: Get medical advice/ attention.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> |
|---------------------------------|--|

| | |
|---------------------------------------|---|
| Supplemental label information | EUH208: Contains 1, 2-Benzisothiazolin-3-one. May produce an allergic reaction. |
|---------------------------------------|---|

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | |
|---|---------------|
| SULFUR | 50-70% |
| CAS number: 7704-34-9 EC number: 231-722-6 REACH registration number: 01-2119487295-27-XXXX | |
| Classification | |
| Skin Irrit. 2 - H315 | |
| XANTHAN GUM | 1-5% |
| CAS number: 11138-66-2 EC number: 234-394-2 | |
| Classification | |
| Not Classified | |
| ETHANE-1,2-DIOL | 1-5% |
| CAS number: 107-21-1 EC number: 203-473-3 REACH registration number: 01-2119456816-28-XXXX | |
| Classification | |
| Acute Tox. 4 - H302 | |
| METHYL NAPHTHALENE SULFONIC ACID, POLYMER WITH FORMALDEHYDE, SODIUM SALT | 1-5% |
| CAS number: 81065-51-2 EC number: 617-192-2 | |
| Classification | |
| Eye Dam. 1 - H318 | |

HEADLAND SULPHUR

| | | |
|--|--|--|
| 1,2-BENZISOTHIAZOL-3(2H)-ONE <1% | | |
| CAS number: 2634-33-5 | EC number: 220-120-9 | REACH registration number: 02-2120004487-60-0000 |
| M factor (Acute) = 1 | | |
| Classification | Classification (67/548/EEC or 1999/45/EC) | |
| Acute Tox. 4 - H302 | Xn; R22. Xi; R41, R38. N; R50. R43 | |
| Skin Irrit. 2 - H315 | | |
| Eye Dam. 1 - H318 | | |
| Skin Sens. 1 - H317 | | |
| Aquatic Acute 1 - H400 | | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------|---|
| Inhalation | Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if symptoms are severe or persist. |
| Ingestion | Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any symptoms develop. |
| Skin contact | Remove affected person from source of contamination. Take off immediately all contaminated clothing and wash it before reuse. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues. |
| Eye contact | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|---|
| Inhalation | There may be irritation of the throat with a feeling of tightness in the chest. |
| Ingestion | There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. |
| Skin contact | Skin contact may cause redness and irritation. |
| Eye contact | Irritation and redness, followed by blurred vision. Profuse watering of the eyes. May cause permanent damage. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-----------------------------|---|
| Notes for the doctor | No specific recommendations. If in doubt, get medical attention promptly. |
| Specific treatments | Eye bathing equipment should be available on the premises. |

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|---------------------------------------|---|
| Suitable extinguishing media | The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. |
| Unsuitable extinguishing media | None known. |

5.2. Special hazards arising from the substance or mixture

HEADLAND SULPHUR

Hazardous combustion products Toxic gases or vapours. Oxides of sulphur.

5.3. Advice for firefighters

Protective actions during firefighting No specific firefighting precautions known. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid the spillage or runoff entering drains, sewers or watercourses. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wash hands thoroughly after handling.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from frost. Store at temperatures above 5°C. Keep away from heat. Protect from sunlight. Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

XANTHAN GUM

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

ETHANE-1,2-DIOL

HEADLAND SULPHUR

Long-term exposure limit (8-hour TWA): WEL 20 ppm 52 mg/m³ vapour

Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m³ vapour

Sk

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

Sk

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield. Provide eyewash station.

Hand protection

Wear protective gloves.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. Do not eat, drink or smoke when using this product.

Respiratory protection

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

Environmental exposure controls

Refer to specific Member State legislation for requirements under Community environmental legislation.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

| | |
|--|---------------------------------------|
| Appearance | Liquid. |
| Colour | Yellow. |
| Odour | Almost odourless. |
| Odour threshold | No information available. |
| pH | pH (concentrated solution): 7.0 - 9.0 |
| Melting point | No information available. |
| Initial boiling point and range | No information available. |
| Flash point | Mixture not classed as flammable |
| Evaporation rate | No information available. |
| Evaporation factor | No information available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | Not applicable. |

HEADLAND SULPHUR

| | |
|---------------------------|---|
| Vapour pressure | No information available. |
| Vapour density | No information available. |
| Relative density | 1.41 - 1.45 |
| Bulk density | No information available. |
| Solubility(ies) | Dispersible in water. |
| Partition coefficient | No information available. |
| Auto-ignition temperature | No information available. |
| Decomposition Temperature | No information available. |
| Viscosity | No information available. |
| Explosive properties | Not considered to be explosive. |
| Oxidising properties | Does not meet the criteria for classification as oxidising. |

9.2. Other information

| | |
|-------------------|--------------------------|
| Other information | No information required. |
|-------------------|--------------------------|

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|------------|---|
| Reactivity | There are no known reactivity hazards associated with this product. Stable under recommended transport or storage conditions. |
|------------|---|

10.2. Chemical stability

| | |
|-----------|--|
| Stability | Stable at normal ambient temperatures. Stable under normal conditions. |
|-----------|--|

10.3. Possibility of hazardous reactions

| | |
|------------------------------------|--|
| Possibility of hazardous reactions | Under normal conditions of storage and use, no hazardous reactions will occur. |
|------------------------------------|--|

10.4. Conditions to avoid

| | |
|---------------------|-------------|
| Conditions to avoid | Avoid heat. |
|---------------------|-------------|

10.5. Incompatible materials

| | |
|--------------------|--|
| Materials to avoid | Strong acids. Strong oxidising agents. Strong reducing agents. |
|--------------------|--|

10.6. Hazardous decomposition products

| | |
|----------------------------------|----------------------------------|
| Hazardous decomposition products | In combustion emits toxic fumes. |
|----------------------------------|----------------------------------|

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------|---------------------------|
| Toxicological effects | No information available. |
|-----------------------|---------------------------|

Acute toxicity - oral

| | |
|------------------|----------|
| ATE oral (mg/kg) | 10,000.0 |
|------------------|----------|

| | |
|------------|---|
| Inhalation | There may be irritation of the throat with a feeling of tightness in the chest. |
|------------|---|

| | |
|-----------|---|
| Ingestion | There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. |
|-----------|---|

HEADLAND SULPHUR

| | |
|---------------------|--|
| Skin contact | Skin contact may cause redness and irritation. |
| Eye contact | There may be irritation and redness. Profuse watering of the eyes. |

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulative potential No information available.

Partition coefficient No information available.

12.4. Mobility in soil

Mobility No information available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. The diluted product and washings should be sent to a water treatment facility.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

HEADLAND SULPHUR

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

| | |
|----------------------------------|---|
| Revision comments | NOTE: Lines within the margin indicate significant changes from the previous revision. |
| Revision date | 20/05/2016 |
| Revision | 4 |
| Supersedes date | 04/09/2015 |
| Hazard statements in full | H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.