



## SAFETY DATA SHEET XTEND FINE 16-5-12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name XTEND FINE 16-5-12  
Product number SLF012/25, SLF012/1000

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Fertiliser for use on managed amenity turf

#### 1.3. Details of the supplier of the safety data sheet

Supplier Headland Amenity Ltd.  
1-3 Freeman Court  
Jarman Way  
Royston  
Hertfordshire  
SG8 5HW  
+44 (0)1763 255550  
sds@headlandamenity.com

Contact person Wendy Johnson

#### 1.4. Emergency telephone number

Emergency telephone +44 (0)1763 255550 (09.00 - 17.00 GMT Monday - Friday)

National emergency telephone number 111

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

Physical hazards Not Classified  
Health hazards Eye Irrit. 2 - H319  
Environmental hazards Not Classified

#### 2.2. Label elements

##### Hazard pictograms



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

## XTEND FINE 16-5-12

**Precautionary statements**

P264 Wash contaminated skin thoroughly after handling.  
 P280 Wear protective gloves and eye protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice/ attention.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>SINGLE SUPERPHOSPHATE</b>	<b>10-30%</b>
CAS number: 8011-76-5	EC number: 232-379-5
	REACH registration number: 01-2119488967-11-XXXX
<b>Classification</b>	
Eye Irrit. 2 - H319	
<b>IRON II SULPHATE</b>	<b>1-5%</b>
CAS number: 7720-78-7	EC number: 231-753-5
	REACH registration number: 01-2119513203-57-XXXX
<b>Classification</b>	
Acute Tox. 4 - H302	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
<b>N-METHYL-2-PYRROLIDONE</b>	<b>&lt;1%</b>
CAS number: 872-50-4	EC number: 212-828-1
	REACH registration number: 01-2119472430-46-XXXX
<b>Classification</b>	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Repr. 1B - H360D	
STOT SE 3 - H335	
<b>SULPHURIC ACID</b>	<b>&lt;1%</b>
CAS number: 7664-93-9	EC number: 231-639-5
<b>Classification</b>	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	

**XTEND FINE 16-5-12**

<b>MANGANESE SULPHATE</b>			<b>&lt;1%</b>
CAS number: 7785-87-7	EC number: 232-089-9	REACH registration number: 01-2119456624-35-XXXX	
<b>Classification</b>			
Eye Dam. 1 - H318			
STOT RE 2 - H373			
Aquatic Chronic 2 - H411			

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if symptoms are severe or persist.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any symptoms develop.
<b>Skin contact</b>	Remove affected person from source of contamination. Take off immediately all contaminated clothing and wash it before reuse. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.

**4.2. Most important symptoms and effects, both acute and delayed**

<b>Inhalation</b>	There may be irritation of the throat with a feeling of tightness in the chest.
<b>Ingestion</b>	There may be soreness and redness of the mouth and throat.
<b>Skin contact</b>	Skin contact may cause redness and irritation.
<b>Eye contact</b>	Irritation and redness, followed by blurred vision. Profuse watering of the eyes. May cause permanent damage.

**4.3. Indication of any immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	No specific recommendations. If in doubt, get medical attention promptly.
-----------------------------	---

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	None known.

**5.2. Special hazards arising from the substance or mixture**

<b>Hazardous combustion products</b>	Toxic gases or vapours.
--------------------------------------	-------------------------

**5.3. Advice for firefighters**

<b>Protective actions during firefighting</b>	No specific firefighting precautions known. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.
---	---

## XTEND FINE 16-5-12

**Special protective equipment for firefighters**      Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**      Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

**Environmental precautions**      Avoid the spillage or runoff entering drains, sewers or watercourses.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up**      Stop leak if safe to do so. Collect spillage. Flush contaminated area with plenty of water.  
Avoid the spillage or runoff entering drains, sewers or watercourses.

#### 6.4. Reference to other sections

**Reference to other sections**      Collect and dispose of spillage as indicated in Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions**      Open container with care to avoid generating dust. Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wash hands thoroughly after handling.

**Advice on general occupational hygiene**      Do not eat, drink or smoke when using this product. Remove contaminated clothing and protective equipment before entering eating areas.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions**      Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from combustible materials.

#### 7.3. Specific end use(s)

**Specific end use(s)**      The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### **IRON II SULPHATE**

Long-term exposure limit (8-hour TWA): WEL 1 mg/m<sup>3</sup>

##### **N-METHYL-2-PYRROLIDONE**

Long-term exposure limit (8-hour TWA): WEL 10 ppm 40 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 20 ppm 80 mg/m<sup>3</sup>

Sk

##### **SULPHURIC ACID**

Long-term exposure limit (8-hour TWA): WEL 0.05 mg/m<sup>3</sup> mist

##### **MANGANESE SULPHATE**

Long-term exposure limit (8-hour TWA): WEL 0.5 mg/m<sup>3</sup> respirable dust

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

#### POTASSIUM CHLORIDE (CAS: 7447-40-7)

## XTEND FINE 16-5-12

**DNEL** Workers - Dermal; Short term systemic effects: 580 mg/kg/day  
 Workers - Dermal; Long term systemic effects: 580 mg/kg/day  
 Workers - Inhalation; Short term systemic effects: 292 mg/m<sup>3</sup>  
 Workers - Inhalation; Long term systemic effects: 292 mg/m<sup>3</sup>

**PNEC** Industry - Fresh water; 0.047 mg/l  
 marine water; 0.047 mg/l

### SINGLE SUPERPHOSPHATE (CAS: 8011-76-5)

**DNEL** Workers - Inhalation; Long term systemic effects: 3.1 mg/m<sup>3</sup>  
 Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day  
 General population - Inhalation; Long term systemic effects: 0.9 mg/m<sup>3</sup>  
 General population - Oral; Long term systemic effects: 2.1 mg/kg/day  
 General population - Dermal; Long term systemic effects: 10.4 mg/kg/day

**PNEC** - Fresh water; 1.7 mg/l  
 - marine water; 0.17 mg/m<sup>3</sup>  
 - Intermittent release; 17 mg/l  
 - STP; 10 mg/l

### N-METHYL-2-PYRROLIDONE (CAS: 872-50-4)

**PNEC** - Fresh water; 0.25 mg/l

### MANGANESE SULPHATE (CAS: 7785-87-7)

**DNEL** Workers - Dermal; systemic effects: 0.00414 mg/kg/day  
 Workers - Inhalation; systemic effects: 0.2 mg/m<sup>3</sup>  
 Consumer - Dermal; systemic effects: 0.0021 mg/kg/day  
 Consumer - Inhalation; systemic effects: 0.043 mg/m<sup>3</sup>

**PNEC** - Fresh water; 0.0128 mg/l  
 - marine water; 0.0004 mg/l  
 - Sediment (Freshwater); 0.0114 mg/kg  
 - Sediment (Marinewater); 0.0014 mg/kg  
 - Soil; 25.1 mg/kg  
 - STP; 56 mg/l

## 8.2. Exposure controls

### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation.

#### Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield. Provide eyewash station.

#### Hand protection

Wear protective gloves.

#### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

## XTEND FINE 16-5-12

<b>Hygiene measures</b>	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. Do not eat, drink or smoke when using this product.
<b>Respiratory protection</b>	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Granules.
<b>Colour</b>	Mixture of light blue granules and brown granules.
<b>Odour</b>	Slight.
<b>Odour threshold</b>	No information available.
<b>pH</b>	No information available.
<b>Melting point</b>	No information available.
<b>Initial boiling point and range</b>	No information available.
<b>Flash point</b>	Mixture not classed as flammable
<b>Evaporation rate</b>	No information available.
<b>Evaporation factor</b>	No information available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	Not applicable.
<b>Vapour pressure</b>	No information available.
<b>Vapour density</b>	No information available.
<b>Relative density</b>	No information available.
<b>Bulk density</b>	No information available.
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	No information available.
<b>Decomposition Temperature</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Explosive properties</b>	Not considered to be explosive.
<b>Oxidising properties</b>	Does not meet the criteria for classification as oxidising.

#### 9.2. Other information

<b>Other information</b>	No information required.
--------------------------	--------------------------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product. Stable under recommended transport or storage conditions.
-------------------	---

## XTEND FINE 16-5-12

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Under normal conditions of storage and use, no hazardous reactions will occur.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid heat.

### 10.5. Incompatible materials

**Materials to avoid** Strong acids. Strong alkalis. Oxidising agents. Flammable/combustible materials.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** In combustion emits toxic fumes.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicological effects** No information available.

### Acute toxicity - oral

**ATE oral (mg/kg)** 26,675.2

### Serious eye damage/irritation

**Serious eye damage/irritation** In-vitro testing conducted on products with Single Superphosphate content <62% in 2015. Result: reduced the classification to Eye Irritant 2 - H319. Test Guideline OECD 438. This result is less severe than the harmonised classification for Super Phosphates of Eye Damage 1 - H318.

**Inhalation** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Ingestion** There may be soreness and redness of the mouth and throat.

**Skin contact** May cause skin irritation.

**Eye contact** There may be irritation and redness. Profuse watering of the eyes.

## SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment.

### 12.1. Toxicity

### 12.2. Persistence and degradability

**Persistence and degradability** The product is biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** Bioaccumulation is unlikely.

**Partition coefficient** No information available.

### 12.4. Mobility in soil

**Mobility** No information available.

### 12.5. Results of PBT and vPvB assessment

## XTEND FINE 16-5-12

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** Not applicable.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**  
No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

**Revision comments** Supplier company address updated. Emergency contact details updated. NOTE: Lines within the margin indicate significant changes from the previous revision.

**Revision date** 16/07/2021

**Revision** 2

**Supersedes date** 06/11/2020



## XTEND FINE 16-5-12

<b>SDS number</b>	20376
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H360D May damage the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.